



MATT
COLLECTION

Where nature finds structure
And timeless design takes shape

2026 COLLECTION



MATT
COLLECTION

600X1200MM

MATTFINISH


High-quality materials that stand the Test of time, where timeless design meets impeccable performance. Perfect for contemporary spaces With a sleek, understated vibe.

Available Size
300x600mm | 600x600MM | 600x1200MM





Enhance Your
Space With
Our Sophisticated
Elegance .



MATT
COLLECTION



INDEX



CINZA BEIGE



CINZA BROWN



CINZA TAUPE



FUME DUNE




FUME TAUPE



LUXOR ASH



LUXOR SHELL



LUXOR MOCHA



LUXOR OCARA



MELY BIANCO



MELY CREMA



MYSTIC GREY



PIETRA CEMENTO




STRUCTURED GREY LT



TZ-LILANZ BEIGE



WONDER GREY





CINZA BEIGE & BROWN



CINZA BEIGE



Available Size

600x1200 MM | 600x600 MM | 300x600 MM

FINISH MATT | RANDOM 05 FACES



RESISTANT TO BENDING



WATER PROOF



RESISTANT TO SCRATCHES



RESISTANT TO UV RAYS



RESISTANT TO HIGH TEMPERATURES



EASY TO CLEAN



CINZA BROWN



Available Size

600x1200 MM | 600x600 MM | 300x600 MM

FINISH MATT | RANDOM 05 FACES



RESISTANT TO BENDING



WATER PROOF



RESISTANT TO SCRATCHES



RESISTANT TO UV RAYS



RESISTANT TO HIGH TEMPERATURES



EASY TO CLEAN



CINZA TAUPE



CINZA TAUPE



Available Size

600x1200 MM | 600x600 MM | 300x600 MM

FINISH MATT | RANDOM 05 FACES



RESISTANT TO BENDING



WATER PROOF



RESISTANT TO SCRATCHES



RESISTANT TO UV RAYS



RESISTANT TO HIGH TEMPERATURES



EASY TO CLEAN



FUME DUNE & TAUPE



FUME DUNE



Available Size

600x1200 MM | 600x600 MM | 300x600 MM

FINISH MATT | RANDOM 04 FACES



RESISTANT TO BENDING



WATER PROOF



RESISTANT TO SCRATCHES



RESISTANT TO UV RAYS



RESISTANT TO HIGH TEMPERATURES



EASY TO CLEAN



FUME TAUPE



Available Size

600x 1200 MM | 600x 600 MM | 300x 600 MM

FINISH MATT | RANDOM 04 FACES



RESISTANT TO BENDING



WATER PROOF



RESISTANT TO SCRATCHES



RESISTANT TO UV RAYS



RESISTANT TO HIGH TEMPERATURES



EASY TO CLEAN



LUXOR ASH & SHELL




LUXOR ASH



Available Size

600x1200 MM | 600x600 MM | 300x600 MM

FINISH MATT | RANDOM 04 FACES



RESISTANT TO BENDING



WATER PROOF



RESISTANT TO SCRATCHES



RESISTANT TO UV RAYS



RESISTANT TO HIGH TEMPERATURES



EASY TO CLEAN




LUXOR SHELL



Available Size

600x1200 MM | 600x600 MM | 300x600 MM

FINISH MATT | RANDOM 04 FACES



RESISTANT TO BENDING



WATER PROOF



RESISTANT TO SCRATCHES



RESISTANT TO UV RAYS



RESISTANT TO HIGH TEMPERATURES



EASY TO CLEAN



LUXOR MOCHA




LUXOR MOCHA



Available Size

600x1200 MM | 600x600 MM | 300x600 MM

FINISH MATT | RANDOM 04 FACES



RESISTANT TO BENDING



WATER PROOF



RESISTANT TO SCRATCHES



RESISTANT TO UV RAYS



RESISTANT TO HIGH TEMPERATURES



EASY TO CLEAN



LUXOR OCARA




LUXOR OCARA



Available Size

600x1200 MM | 600x600 MM | 300x600 MM

FINISH MATT | RANDOM 04 FACES



RESISTANT TO BENDING




WATER PROOF



RESISTANT TO SCRATCHES



RESISTANT TO UV RAYS



RESISTANT TO HIGH TEMPERATURES



EASY TO CLEAN



MELY BIANCO




MELY BIANCO



Available Size

600x1200 MM | 600x600 MM | 300x600 MM

FINISH MATT | RANDOM 05 FACES



RESISTANT TO BENDING



WATER PROOF



RESISTANT TO SCRATCHES



RESISTANT TO UV RAYS



RESISTANT TO HIGH TEMPERATURES



EASY TO CLEAN



MELY CREMA




MELY CREMA



Available Size

600x1200 MM | 600x600 MM | 300x600 MM

FINISH MATT | RANDOM 05 FACES



RESISTANT TO BENDING



WATER PROOF



RESISTANT TO SCRATCHES



RESISTANT TO UV RAYS



RESISTANT TO HIGH TEMPERATURES



EASY TO CLEAN



MYSTIC GREY





MYSTIC GREY



Available Size

600x1200 MM | 600x600 MM | 300x600 MM

FINISH MATT | RANDOM 04 FACES



RESISTANT TO BENDING



WATER PROOF



RESISTANT TO SCRATCHES



RESISTANT TO UV RAYS



RESISTANT TO HIGH TEMPERATURES



EASY TO CLEAN



PIETRA CEMENTO




PIETRA CEMENTO



Available Size

600x1200 MM | 600x600 MM | 300x600 MM

FINISH MATT | RANDOM 06 FACES



RESISTANT TO BENDING



WATER PROOF



RESISTANT TO SCRATCHES



RESISTANT TO UV RAYS



RESISTANT TO HIGH TEMPERATURES



EASY TO CLEAN



STRUCTURED GRAY




STRUCTURED GRAY



Available Size

600x 1200 MM | 600x 600 MM | 300x 600 MM

FINISH MATT | RANDOM 04 FACES



RESISTANT TO BENDING



WATER PROOF



RESISTANT TO SCRATCHES



RESISTANT TO UV RAYS



RESISTANT TO HIGH TEMPERATURES



EASY TO CLEAN



TZ-LILANZ BEIGE



TZ-LILANZ BEIGE



Available Size

600x1200 MM | 600x600 MM | 300x600 MM

FINISH MATT | RANDOM 01 FACES



RESISTANT TO BENDING



WATER PROOF



RESISTANT TO SCRATCHES



RESISTANT TO UV RAYS



RESISTANT TO HIGH TEMPERATURES



EASY TO CLEAN



WONDER GREY



WONDER GREY



Available Size

600x1200 MM | 600x600 MM | 300x600 MM

FINISH MATT | RANDOM 04 FACES



RESISTANT TO BENDING



WATER PROOF



RESISTANT TO SCRATCHES



RESISTANT TO UV RAYS



RESISTANT TO HIGH TEMPERATURES



EASY TO CLEAN

TECHINICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP Bio	MEAN VALUE OF PGVT	MEAN VALUE OF GVT	Method of Testing
REGULATORY PROPERTIES				
Deviation in length & width	±0.5%	±0.1%	±0.1%	ISO-10545-2
Deviation in thickness	±5.0%	±4.0%	±4.0%	ISO-10545-2
Straightness in side	±0.5%	±0.1%	±0.1%	ISO-10545-2
Rectangularity	±0.6%	±0.1%	±0.1%	ISO-10545-2
Surface Flatness	±0.5%	±0.2%	±0.2%	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-15
Glossiness	As per mfg	Min. 90%	Min. 4%	GLOSSOMETER
STRUCTURAL PROPERTIES				
Water absorption	<0.50%	<0.20%	<0.20%	ISO-10545-3
Apparent density	>2.0 g/cc	>2.10 g/cc	>2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm2	Min. 40 N/mm2	Min. 40 N/mm2	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	Min. 5	EN 101
THERMO HYGROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg	>0.40	>0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	Fireproof	N. A.
Lead & cadmium given off by glazed tiles	As per mfg	Does not yield	Does not yield	ISO-10545-15
		Pb. & Cd.	Pb. & Cd.	

PACKING DETAILS

SIZE	300X600	600X600	600X1200	
PER BOX PCS	8	4	2	
THICKNESS	8.5-9.00	8.5-9.00	8.5-9.00	
COVERAGE AREA	1.44 SQ.MTR/ 15.5 SQ.FT	1.44 SQ.MTR/ 15.5 SQ.FT	1.44 SQ.MTR/ 15.5 SQ.FT	
WEIGHT/BOX	27.50	27.50	27.50	
PALLET TYPE	NORMAL OR EURO	NORMAL OR EURO	NORMAL	EURO
PALLET/CONT.	25	25	12	6
BOX/PALLET	40	40	64	32
BOX/CONT.	1000	1000	960	960
SQ.MTR/CONT.	1440.00	1440.00	1382.40	1382.40
WEIGHT/CONT.	27500	27500	26400	26400

